

A UNIQUE PERSPECTIVE FOR CHILD ORAL HEALTH CARE: DENTAL HOME

AMRUTHA, B.

*Department of Pediatric and Preventive Dentistry, Rajarajeswari Dental College and Hospital
Bangalore, Karnataka, India.
e-mail: amrutha.b87[at]gmail.com*

(Received 10th June 2021; accepted 20th July 2021)

Abstract. Establishment of a dental home begins no later than 12 months of age and includes referral to dental specialists when appropriate. Similar to the medical home, the dental home offers the patients comprehensive, continuous, prevention-based care that is accessible, family-centred, compassionate, and culturally competent. The dental home is inclusive of all aspects of oral health that result from the interaction of the patient, parents, dentists, dental professionals, and non-dental professionals. The dental home is a concept that deserves support, further investigation and, in conjunction with the medical home, would provide the comprehensive health care to which all children are entitled.

Keywords: *dental home, medical home, health care, children*

Short communication

The Dental Home concept is derived from the American Academy of Paediatrics (AAP) definition of a medical home which states paediatric primary health care is best delivered where comprehensive, continuously accessible, family-centred, coordinated, compassionate, and culturally effective care is available and delivered or supervised by qualified child health specialists has fostered to improve the quality of care for children, beginning at birth (Committee on Pediatric Workforce, 2011; Committee on Children with Disabilities, 1999; Committee on Pediatric Workforce, 1999).

The American Academy of Paediatric Dentistry (AAPD) developed a policy on dental homes that was first adopted in 2001 and revised in 2004 (American Academy of Pediatric Dentistry, 2004). The definition states: "The dental home is the ongoing relationship between the dentist and the patient, inclusive of all aspects of oral health care delivered in a comprehensive, continuously accessible, coordinated, and family-centred way. Establishment of a dental home begins no later than 12 months of age and includes referral to dental specialists when appropriate." Similar to the medical home, the dental home offers the patients comprehensive, continuous, prevention-based care that is accessible, family-centred, compassionate, and culturally competent. Citing strong clinical evidence that early preventive dental care promotes oral health, the AAPD declared that "The establishment of a dental home may follow the medical home model as a cost-effective and higher quality health care alternative to emergency care situations" (American Academy of Pediatric Dentistry, 2004). *Table 1* shows the application of the principles and ideal characteristics of the Medical Home as applied to dental practice (Nowak and Casamassimo, 2002).

Table 1. *Ideal characteristics and practical advantages of a dental home.*

Characteristics	Description	Practical advantages
Accessible	1. Care provided in the child's community. 2. All insurance accepted and changes in	1. Sources of care are close to home and accessible to

	coverage accommodated.	<p>family.</p> <ol style="list-style-type: none"> Minimal hassle encountered with payment. Office ready for treatment in emergency situations. Office is non biased in dealing with children with special health care needs, or CSHCN. Dentist knows community needs and resources (fluorides in water).
Family centered	<ol style="list-style-type: none"> Recognition of the centeredness of the family. Unbiased complete information is shared on an ongoing basis. 	<ol style="list-style-type: none"> Low parent/child anxiety improves care. Care protocols are comfortable to family (behaviour management). Appropriate role of parents in home care is established.
Continuous	<ol style="list-style-type: none"> Same primary care providers from infancy through adolescence. Assistance provided with transitions (for example to school). 	<ol style="list-style-type: none"> Appropriate recall intervals are based on child's needs. Continuity of care is better owing to recall system vs. episodic care. Coordination of complex dental treatment is possible (traumatic injury). Liaison with medical providers for CSHCN is improved (congenital heart disease).
Comprehensive	<ol style="list-style-type: none"> Health care available 24 hours per day, seven days per week. Preventive, primary, tertiary care provided. 	<ol style="list-style-type: none"> Emergency access is ensured. Care manager and primary care dentist are in same place.
Coordinated	<ol style="list-style-type: none"> Families linked to support, education and community services. Information centralized. 	<ol style="list-style-type: none"> Records centralized. School, workshop, therapy linkages established and known (cleft palate care).
Compassionate	<ol style="list-style-type: none"> Expressed and demonstrated concern for child and family. 	<ol style="list-style-type: none"> Dentist-child relationship is established. Family relationship is established. Children less anxious owing to familiarity.
Culturally competent	<ol style="list-style-type: none"> Cultural background recognized, valued, respected. 	<ol style="list-style-type: none"> Mechanism is established for communication for ongoing care. Specialized resources are known and proven if needed. Staff may speak other languages and known dental

terminology.

The dental home is inclusive of all aspects of oral health that result from the interaction of the patient, parents, dentists, dental professionals, and non-dental professionals (AAPDCAC and AAPDCCA, 2008). The AAPD encourages parents and other care providers to help every child establish a dental home by 12 months of age (AAPDCAC and AAPDCCA, 2008; AAPDCCA, 2008). The AAPD recognizes a dental home should provide: (1) Comprehensive oral health care including acute care and preventive services in accordance with AAPD periodicity schedules; (2) Comprehensive assessment for oral diseases and conditions; (3) Individualized preventive dental health program based upon a caries-risk assessment and a periodontal disease risk assessment; (4) Anticipatory guidance about growth and development issues (i.e. teething, digit or pacifier habits); (5) Plan for acute dental trauma; (6) Information about proper care of the child's teeth and gingivae. This would include the prevention, diagnosis, and treatment of disease of the supporting and surrounding tissues and the maintenance of health, function, and aesthetics of those structures and tissues; (7) Dietary counseling; (8) Referrals to dental specialists when care cannot directly be provided within the dental home; and (9) Education regarding future referral to a dentist knowledgeable and comfortable with adult oral health issues for continuing oral health care; referral at an age determined by patient, parent, and paediatric dentist.

Need for dental home in India

Dental caries results from an overgrowth of specific organisms that are part of normally occurring human dental flora. High caries rates run in families, and are passed from mother to child from generation to generation. The children of mothers with high caries rates are at a higher risk of decay. Therefore, an oral health risk assessment before 1 year of age affords the opportunity to identify high-risk patients and to provide timely referral and intervention for the child (Babu and Doddamani, 2012).

Awareness of dental home

In order to establish a dental home; it is important to meet the parents/prospective parents early. Gynaecologists, paediatricians, family physicians are the people who come in contact with them much before a dentist. These people must establish communication with them such that effective and timely referrals are made to dentist. Also, schools and pre-school day care centres can be informed about the dental home (Babu and Doddamani, 2012). Following factors can be followed: (1) A child should visit the dentist within six months of the eruption of the first tooth or by age one; (2) The earlier the dental visit, the better is the chance of preventing dental problems; (3) Encourage children to drink from a cup as they approach their first birthday; (4) Children should not fall asleep with a feeding bottle; (5) Children should be weaned from the bottle feeding at 12-14months of age; (6) Thumb sucking is perfectly normal for infants; most stop by age of 2 and it should be discouraged after age of 4years; (7) Never dip a pacifier into honey or anything sweet before giving it to a baby; (8) Limit the frequency of snacking in between meals which can increase child's risk of developing cavities; (9) Parents should ensure that young children use an appropriate size toothbrush with a small brushing surface and only a pea-sized amount of fluoride toothpaste at each brushing; (10) From six months to age 3, children may have sore

gums when teeth erupt. Many children like a clean teething ring, cool spoon, or cold wet washed cloth; and (11) Some parents prefer a chilled ring; others simply rub the baby's gums with a clean finger.

The virtual of dental home

The virtual dental home is an innovative new model for delivering dental care. It is applicable for a wide variety of population groups, especially those who are currently inadequately served in traditional dental settings. The model incorporates many of their commendations from the Institute of Medicine report, "Improving Access to Oral Health Care for Vulnerable and Underserved Populations" they are (Glassman et al., 2012): (1) Bringing oral health services to locations where underserved vulnerable populations receive educational, social, and general health services and integrating oral health with services provided in those settings; (2) Expanding duties for existing oral health professionals; (3) Emphasizing prevention and early intervention oral health procedures; and (4) Creating a geographically distributed but coordinated dental team through the use of tele-health technologies.

In the virtual dental home model, early intervention restorative care is provided through a Health Workforce Pilot Project (HWPP) authorized by the California Office of State wide Health Planning and Development (California Office of Statewide Planning and Development, 2012). The settings for care in the virtual dental home system include Head Start Centres, schools, residential facilities for people with disabilities, and long-term care facilities for dependent adults. The services provided include diagnostic, preventive, and early intervention restorative care. Where more advanced care that can only be provided by a dentist is required, case management techniques are employed to refer patients to dental offices and clinics. The dental team includes dentists who review electronic records and make diagnostic and treatment decisions and allied dental professionals who collect records and provide preventive and early intervention services in community settings under the general supervision of dentists. The virtual dental home advisory committee concluded that the current system for delivering dental care is not optimized to improve or maintain oral health for many underserved people. In order for innovations in the delivery of oral health care, such as the virtual dental home to be sustained and spread, alterations are needed in the educational environment that trains Providers, state systems that regulate scopes of practice and the delivery of services, and financing mechanisms (AAPDCAC and AAPDCCA, 2008).

Conclusion

Dental home is an important concept for the dental profession to embrace. Current dental system capacity cannot support wholesale implementation of the dental home unless the dental home's functions are shared by other agencies that interact with children where they live, learn, and play. The dental home is a concept that deserves support, further investigation and, in conjunction with the medical home, would provide the comprehensive health care to which all children are entitled.

Acknowledgement

This research is self-funded.

Conflict of interest

The author confirms that there are no conflict of interest involve with any parties in this research study.

REFERENCES

- [1] American Academy on Pediatric Dentistry Council on Clinical Affairs (AAPDCCA) (2008): Policy on the dental home. – *Pediatric Dentistry* 30(Suppl. 7): 22-23.
- [2] American Academy on Pediatric Dentistry Clinical Affairs Committee (AAPDCAC), American Academy on Pediatric Dentistry Council on Clinical Affairs (AAPDCCA) (2008): Guideline on periodicity of examination, preventive dental services, anticipatory guidance/counseling, and oral treatment for infants, children, and adolescents. – *Pediatric Dentistry* 30(Suppl. 7): 112-118.
- [3] American Academy of Pediatric Dentistry (2004): Policy on the dental home. – *Pediatric Dentistry* 26: 18-19.
- [4] Babu, K.G., Doddamani, G.M. (2012): Dental home: Patient centered dentistry. – *Journal of International Society of Preventive & Community Dentistry* 2(1): 8-12.
- [5] California Office of Statewide Planning and Development (2012): Health workforce pilot projects program. – California Office of Statewide Planning and Development Official Portal. Available on:
<https://oshpd.ca.gov/workforce-capacity/health-workforce-pilot-projects/>
- [6] Committee on Children with Disabilities (1999): Care coordination: integrating health and related systems of care for children with special health care needs. – *Pediatrics* 104(4): 978-981.
- [7] Committee on Pediatric Workforce (2011): Reaffirmed Policy Statement: Pediatric Primary Health Care. – *American Academy of Pediatrics* 127(2): 3p.
- [8] Committee on Pediatric Workforce (1999): Culturally effective pediatric care: education and training issues. – *Pediatrics* 103(1): 167-170.
- [9] Glassman, P., Harrington, M., Mertz, E., Namakian, M. (2012): The virtual dental home: implications for policy and strategy. – *Journal of the California Dental Association* 40(7): 605-611.
- [10] Nowak, A.J., Casamassimo, P.S. (2002): The dental home: a primary care oral health concept. – *The Journal of the American Dental Association* 133(1): 93-98.